



Life Star International Limited

LifeStar Nitrile Gloves 4.0G

QUALITY STANDARDS

Conforms to MDR (EU) 2017/745 (class I), CE PPE CAT III, ASTM D6319, EN ISO 13485:2016, EN ISO 9001:2015, EN ISO 14971:2019, IEC 62366-1:2015(en); EN ISO 15223-1:2016, EN 455-1:2000, EN 455-2:2015, EN 455-3:2015, EN 455-4:2015, EN 16523-1:2015+A1:2018, EN ISO 374-1:2016+A1:2018, EN 420:2003+A1:2009, EN 374-2:2014, EN ISO 374-4:2019, EN ISO 374-5:2016, EN 1186:2020, EN 1935/2004, EN 13130-1:2004, DIN 10955:2004, EU regulation 1935/2004, 2023/2006 and 10/2011.

PRODUCT SPECIFICATIONS

Type	Powder-Free, Non-sterile, finger textured, beaded cuff and smooth external finish.
Material	Nitril, latex-free, Chlorinated
Colour	Blue
Usage	Nitrile medical gloves are non-sterile and are used for performing medical examinations, diagnostic or therapeutic interventions, and for work with infectious medical material. These protect the patient and the user from contamination. The gloves are intended for single use.
Storage	The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight.
Shelf-Life	5 years from the date of manufacturing.


GLOVE PROFILE

Length (mm)	Minimum 240mm		
Thickness (+/- 0.02mm)	ASTM D 6319		
	Cuff (mm)	Minimum	0.08 mm
	Palm (mm)	Minimum	0.08 mm
	Finger (mm)	Minimum	0.08 mm
Force at Break (N)	Before aging	S / M	8.4 N
		L / XL	10.8 N
	After aging	S / M	8.4 N
		L / XL	10.5 N
Width (+/- 5mm)	Small = 85 mm Medium = 95 mm Large = 105 mm X-Large = 115 mm		
Weight	S 3.5g±0.3g M 4.0g±0.3g L 4.5g±0.3g XL 5.0g±0.3g		



powder free | latex free | non-sterile | ambidextrous | single use only

Size	Color	Package	Box Size	Carton Dimension
S - XL	Blue	100pcs/box, 10 boxes/ctn	230*120*65mm	335*250*240mm



Snijders handel
Totaalleverancier

in cooperation with  Life Star International Limited



Life Star International Limited

LifeStar Nitrile Gloves 4.5G

QUALITY STANDARDS

Conforms to MDR (EU) 2017/745 (class I), CE PPE CAT III, ASTM D6319, EN ISO 13485:2016, EN ISO 9001:2015, EN ISO 14971:2019, IEC 62366-1:2015(en); EN ISO 15223-1:2016, EN 455-1:2000, EN 455-2:2015, EN 455-3:2015, EN 455-4:2015, EN 16523-1:2015+A1:2018, EN ISO 374-1:2016+A1:2018, EN 420:2003+A1:2009, EN 374-2:2014, EN ISO 374-4:2019, EN ISO 374-5:2016, EN 1186:2020, EN 1935/2004, EN 13130-1:2004, DIN 10955:2004, EU regulation 1935/2004, 2023/2006 and 10/2011.

PRODUCT SPECIFICATIONS

Type	Powder-Free, Non-sterile, finger textured, beaded cuff and smooth external finish.
Material	Nitril, latex-free, Chlorinated
Colour	Black
Usage	Nitrile Black gloves are non-sterile. These gloves are intended for single use. The Nitrile Black industrial gloves look professional while concealing dirt and grime. They are a great fit for automotive, household work, food service, and cleaning.
Storage	The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight.
Shelf-Life	5 years from the date of manufacturing.

GLOVE PROFILE

Lenght (mm)	Minimum 240mm		
Thickness (+/- 0.02mm)	ASTM D 6319		
	Cuff (mm)	Minimum	0.08 mm
	Palm (mm)	Minimum	0.08 mm
	Finger (mm)	Minimum	0.08 mm
Force at Break (N)	Before aging	S / M	8.4 N
		L / XL	10.8 N
	After aging	S / M	8.4 N
		L / XL	10.5 N
Width (+/- 5mm)	Small = 85 mm Medium = 95 mm Large = 105 mm X-Large = 115 mm		
Weight	S 4.0±0.3g M 4.5g±0.3g L 5.0g±0.3g XL 5.5g±0.3g		



powder free | latex free | non-sterile | ambidextrous | single use only

Size	Color	Package	Box Size	Carton Dimension
S - XL	Blue	100pcs/box, 10 boxes/ctn	230*120*65mm	335*250*240mm



Snijders handel
Totaalleverancier

in cooperation with  Life Star International Limited



Life Star International Limited

LifeStar Stretch Vinyl Gloves

QUALITY STANDARDS

Conforms to MDR (EU) 2017/745 (class I), CE PPE CAT III, EN 455-1:2000, EN 455-2:2015, EN 455-3:2015, EN 16523-1:2015+A1:2018, EN ISO 374-1:2016+A1:2018, EN 420:2003+A1:2009, EN 374-2:2014, EN ISO 374-4:2019, EN ISO 374-5:2016, EN 1186:2020, EN ISO 21420:2020, EN 1935/2004.

PRODUCT SPECIFICATIONS


Type	Powder-Free Non-sterile, Ambidextrous, beaded cuff and PU coating on interior surface
Material	Stretch Vinyl, latex-free, Chlorinated
Colour	Blue
Usage	Stretch vinyl medical gloves are non-sterile and are used as an examination glove in medical and dental field (AQL 1.5), also invasively, intended for temporary use. Hybrid Technology combines advanced synthetic elastomer and vinyl polymer materials to create an exceptionally soft, supple and elastic glove with unique shape memory. Single use only.
Storage	The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight.
Shelf-Life	5 years from the date of manufacturing

GLOVE PROFILE

Length (mm)	Minimum 242mm		
Thickness (mm)	Cuff (mm)	Minimum 0.05 mm	
	Palm (mm)	Minimum 0.08 mm	
	Finger (mm)	Minimum 0.06 mm	
Force at Break (N)	Before aging	S / M	4.0 N
	After aging	L / XL	5.1 N
Force at Break (N)	Before aging	S / M	4.0 N
	After aging	L / XL	5.0 N
Width (+/- 5mm)	Small = 85 mm Medium = 95 mm Large = 105 mm X-Large = 115 mm		
Weight	S = 4.9gm M = 5.4 gm L = 5.8 gm XL = 6.7 gm		



Size	Color	Package	Box Size	Carton Dimension
S - XL	Blue	100pcs/box, 10 boxes/ctn	230*120*65mm	335*250*240mm



Snijders handel
Totaalleverancier

in cooperation with Life Star International Limited



Life Star International Limited

LifeStar Vinyl Gloves

QUALITY STANDARDS

Conforms to MDR (EU) 2017/745 (class I), CE PPE CAT III, EN 455-1:2000, EN 455-2:2015, EN 455-3:2015, EN 455-4:2015, EN 16523-1:2015+A1:2018, EN ISO 374-1:2016+A1:2018, EN 420:2003+A1:2009, EN 374-2:2014, EN 374-3:2003, EN ISO 374-4:2019, EN ISO 374-5:2016, EN 1935/2004.

PRODUCT SPECIFICATIONS

Type	Powder-Free Non-sterile, Ambidextrous, beaded cuff and PU coating on interior surface
Material	Vinyl, latex-free
Colour	Clear
Usage	There is a lot of different scope for the utilization of vinyl gloves and numerous enterprises can profit with their utilization for the insurance of hands and decrease the tainting of items. Clinical assignments, food taking care of, substance and oil enterprises and furthermore painting errands can profit with the utilization of vinyl gloves. They are successful in securing against sleek substances, corrosive, emulsions and different fluids and work well for in food readiness where cross tainting should be kept to a severe least. Because of their enemy of static nature, they are likewise helpful when working with wires and strings.
Storage	The gloves shall maintain their properties when stored in a dry condition. Avoid direct sunlight.
Shelf-Life	5 years from the date of manufacturing

GLOVE PROFILE

Length (mm)	Median 240mm	
Thickness (mm)	Cuff (mm)	Minimum 0.05 mm
	Palm(mm)	Minimum 0.08 mm
	Finger (mm)	Minimum 0.06 mm
Force at Break (N)	Before aging	Median 4.4N
	After aging	Median 4.1N
Width (+/- 5mm)	Small = 87 mm Medium = 97 mm Large = 105 mm X-Large = 114 mm	
Weight	S = 4.9gm M = 5.4 gm L = 5.8 gm XL = 6.7 g	



Size	Color	Package	Box Size	Carton Dimension
S – XL	Blue	100pcs/box, 10 boxes/ctn	230*120*65mm	335*250*240mm



Snijders handel
Totaalleverancier

in cooperation with  Life Star International Limited